uo	Госаб	instancia de la secución de la constancia de la constanci			ETILOTH	Production/Adr Date Received/Cost Initial
15 03	OK) Fevel	if shipment	of receiver (	elsitini		·
- 4						,
				- 40	0/ & My	019 ssa
Comments	Guantity Short	Quantity Returned	Quantity Received	Quantity Detect	Description	Part Number
\/N			G6 Inspection ork Order			Discrepancies
- WIN	ON = S	olete: Ye	ipment Comp	is _	Yes No Cr	Invoice: Receipt:
			A etoM essele enostA llidys		Yes No	Packing Slip:
Î	56871	O/c	l hsQ	4 (g)	oplier: Hypo	ing .
	<u>Lregii</u>	tu :ON	hotsB		<i>\$0120/11</i> :ea	Dad 🛬
		μc	/ing Repo	/ieoeβ		A.

All amounts are calculated in domestic currency.

# **Purchase Order Receipt Listing**

Wednesday, July 13, 2011 10:42:31 AM

All Vendors PO ID PO14379 All Receipt Dates All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

													1													<			
													and the second s											CAD	PO14379	VendorID\Vendor Name		Curr Type	Purchase
	No	∞	ā	<u>z</u> ~	7		Z o	6		Z	Ŋ		Z	4		Z	<u>.</u>	ω		ā	<u>Z</u>	2		N <sub>o</sub>	_	dor Nan	Req	Insp	Line
																													Project ID
118305	7075-T73 Rd Bar 1.00	M7075T73R1.000	118182	304 BAR .250 x 4.00 f	M304B0.250X4:000 f	118217	304/316 Sheet .063	M304S16GA	118217	304/316 .050 Sheet sf	M304S18GA	118217	6061-T6 .125 Sheet	M6061T6S.125	118182	3.50	500 c 377 1305 v	M6061T6B2.000X03.f	118182	1.50	500 6061-T6 Bar .750 X	M6061T6B0.750X01. f	118182	303 BAR I" X 3'	M303B1.000X03.000 f	VC-COP001 Thysse		Cert Std	Reference/
				)0 f	J . 0		s / sf	`si		sf.	sf		SI	)sf		-	~	\3. f				Ξ,		6	)0 f	Thyssenkrupp Materials CA Ltd			PO U/M /
													the state of the s													'A Ltd			
	24.0000	7/7/2011		24.0000	6/30/2011		200.0000	6/30/2011		160.0000	6/30/2011		64 0000	6/30/2011		1	12,0000	6/30/2011			60.0000	6/30/2011		12.0000	7/7/2011			•	Required Date Required Qty
	) DESJUZ	7/		) I.AVO01	7/4/2011		) I.AVO01	7/13/2011		I.AVO01	7/13/2011		1.AVC01	7/13/2011			I.AVO01	6/30/2011 7/4/2011			100AV'1	7/4/2011		LAVO01	//4/2011	5		Recy Emp	Recv Date/
		12.0000			24.0000			200.0000			160.0000		100000000000000000000000000000000000000	64.0000				12.0000				60.0000			12.0000	2000		(PO U/M)	Recv Qty
	#100.00	\$8.75 \$105.00		\$271.20	\$11.30		\$1,030.00	\$5.15		\$/00.99	\$4.38		\$350.00	\$5.47			\$217.08	\$18.09	91000		\$175.20	\$2,92		\$/38.00	901.00	\$61 50			Cost Per Unit/ Recy Value
		0.0000		0.0000	0.0000		0.000	0.000	0 0000	0.0000	0.0000		0;0000	0.0000			0.0000	0.000			0.0000	0.0000		0.0000	0,000	0 0000		(PO U/M)	Inspected Qty/ Rejected Qty
		0 0		C				<b>-</b>			0 0		**************************************				0				0	c	0	ć	0	0		Ģ	MRB Qty/ MRB Reject
		\$105.00	e 105 (20		07.1/7¢	\$391 3/1 V		4 9	\$1.030.00		B100.00	\$700 00 V		90,00.00	\$350 00 V				\$217.08	ř.		÷	\$175 20 <del>~</del>			\$738.00			Book Amt

Purchase Order ID/ Curr Type

PO U/M / Stock U/M

Required Date Required Qty

Recv Date/ Recv Emp

Recv Qty (PO U/M)

Cost Per Unit/ Inspected Qty/ MRB Qty/
Recv Value Rejected Qty MRB Reject
(PO U/M) Qty

544:0000 0.0000 0.0000

Total Qty to Inspect (PO U/M):

Total Reject Quantity: Total Receipt Value:

\$3,587.48

12.0000

Total Received Quantity:

Total Balance Due Quantity:

1000TA DEDECEMBLE TOUGHT TOOLOGY FRANCY FRANCHESS RETOCK OVE NOTTION GOOD IN GENERALIVENS (ZNOTTION COOD CONDITION

3170

S09013

HEROHADISE MAY AND SEPTIMED WITHOUT OUR PPROPERTY. THEMSIVE NOTABORPAND OF AND DEVICE NOTARE MUNICIPAL DE MARCHANDINE NOTARE MUNICIPAL DE MARCHANDINE NOTARE MUNICIPAL DE MARCHANDE NOTARE MARCHANDE NOTARE MUNICIPAL DE MARCHANDE NOTARE MARCHANDE NOTARE

EPRORS OS SHORTAGE MUST BE REPORTED IMMEDIATELY TVEMETAIOBMM SEETHO99AR

THE THANGS STANDING MANCHAM SER MANCHARS BONYENT ETHE

DeuntinoD.... I

SDG \ YJidmsuQ ZES 00.00g TOS 50/60/1175 V

SET 3M

dol

\*0000.021 X "0000.84 X moM 0080. STAINLESS STEEL SHEET 304-2B 2) Onr Order PEC-345358- S Your PO

Heat Mumber

ANSENTOR Z09011 Heat Number Tag No

POST YJENO TES 00.09I 50/10/11/37

STAINLESS STEEL SHEET 304-28 STAINLESS WOOD. X 120.0000.0 4) Our Order PEC-345358- 4 Your PO # 14379

TPZOOOTY

Heat Number 18310/01 209010 Tag No

Ouantity 64.00 STT

"0000.38 X "0000.89 X moW 02SI. ALUMINUM SHEET 6061 T6

SOILOINGP

3) Ont Order PEC-345358- 3 Your PO # 14379

Quantity SOd

201107796 Heat Mumber

7.000 x 3.50" X 144.00.0 LIZAT-1808 AAA TAJT MUNIMUJA

S) Ont Order PEC-345358- 2 Your PO # 14379 808802

SDđ Valameno TR 00

SBN828 Tag No

I -826345 PEC-345358 L T -826345 PEC-3453581 L T -3654 PEC-345356 L T -3654 PEC-3454 L T -3654 PEC-3 1) ONE Order PEC-345358- 1 Your PO # 14379

BILL

208802

Tag No

OP DADING

HAMKESBURY, ON KGA IKY 1370 ABERDEEN ST

BDASCARA TRAC (SITOZ ) : ol blos

đτs SLYN IAERS (802-232-1320) Apage Trailer Acute dealinsM 0 -0

DREPAID ಕ೦ತ COMCOSD

TIA VIM TRANSFER TRUCK Firdoya

ड्राइंट वेस्पड Security at 14:31 Brom PRW DAT : OM DEC 111883

CAL TO

Tel: 613-632-9577 Fex: 613-632-1053 1270 ABERDEEN ST ST GINS GENERAL TAKE

Tel: 905 669 9444 Fax: 9057389033 CONCORD ONLARIO DEK SCE CAOA THATSDMAL IS82 SAME PYOM:

BILL

ABBINUN JAVORAGA AUO TUOHTIW DENAUTER SE TON YAM BRIGNAHDASM THEME UES MOITARORISA'O OF EMUNERTON DEVA SESIGNAHORAM EGRUOTER TVBMBTAIGBMNI GBETROGGAR YJBTA'GEMMI GBTROGBR BB TBUM BBATRONS RO SRORRE SATÉ TNEVIOC SETNAUCHAN SESIGNAHORAM UO, TE SEUERRE SETUCT

\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \* ME SLOCK SLEINTESS SLEET \*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS WA COUCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\* \*\*\*\* TEL. 800-926-2600 \*\*\*\*

TOTAL 1 BDL, 1 SKID G.W. 1335 LBS

\*\* KELEKENCED ON IL \*\* \*\* ALL PACKING SLIPS MUST HAVE THE HEAT WUNDER \*\*

AGNIJ\JATNAHO :NTTA .DMIGGIHS OT

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT WILL TEST REPORTS, PACKING SLIPS ARE THE CUSTOMER PRICE OF THE CU

ANS 21404 6732002£ TPZOOOTW **3BM82**8 96440TT02 IO/OTEST Heat Number

\*\*\* Chemical Analysis \*\*\*

TOTAL: 6T 76TT Tags SET VaidneuQ Tq 42 Z . 6) Our Order PEC-345358- 6 Your PO # 14379 STRINLESS STHEL FLAT BAR 304L SLIT/EDGED STRINLESS STHEL FLAT AAA.0000" .250" X 4,00" X 144.0000" 3J SDa

BILLA TO LADING

ADAGEOREA TRACT Sold To: (20115)

Route 0 -0 Manifest Vhole Trailer

JIE GIAGEAG BOB CONCORD ELV

VIM TRANSFER TRUCK ffidorg

Way mora is: if the limitas aski girls BIFF OR FYDING E68LIL DEE 150N

(T ) :OL dius

CONCORD, ONTARIO LAK SC6

2821 LANGSTAFF ROAD THYSSEUKRUPP MATERIALS NA

:mora gina

\*\*\*bO KEbKINL\*\*\*

Purchase Order ID PO14379

PO Print Date 6/27/2011 Purchase Order Date 6/27/2011

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street

Dart Aerospace Ltd.

05/20/1120

Page Number 1 of 3

BEGD UPON DELIVERY MOTACHTERIAL CERTIFICATION

80.7128 Yours ppd 0060.818 12.00 9/30/2011 6061-T6 Bar 2.00 x 3.50 M6061T6B2.000X03.500 ASTM B211 OR ASTM B221 QQ-A-200/8 OR AMS 4160 OR 4115/4116 OR QQ-A-200/8 OR AMS-225/8 OR AMS 4117/4128 AS PER QQ-A-225/8 OR AMS-QQ-A-ALUMINUM BAR T6/T651/T6510/T6511/T62 WATERIAL: 6061-Special Inst: 0月10月11年 Yes 2175.20 60.00 Yours ppd 0076,28 1/107/08/9 06.1 X 027. 168 3T-1503 M6061T6B0.750X01.500 ACCEPTABLE NOTE: AISI 304/316 NOT PER ASTM A582 MATERIAL: AISI 303 SS BAR AS Special Inst: JE1110613C Xes 12.00 Yours ppd 00.8E72 261.5000 1/1/5011 303 BAR 1" X 3" M303B1 000X03 000 Vendor Part Number Price Unit of Measure Taxable Revision ID Mfg ID Extended Unit Price Req. Qty/ Red Date Ship Method Description/ Line Mbr Reference CANADA HYMKESBURY, ON K6A IKZ 1510 ABERDEEN DART AEROSPACE LTD : oT gid2 Destination-Collect LOB CVD Currency Net 30 Terms Vendor Account Nbr 10127-2607 Tax Resale Nbr EE06 8EL 506 Vendor Fax Requisition Nbr ₹₹₹ 699 506 Vendor Phone Chantal Lavoie Buyer Contact Name **CA** TORONTO, ON M5W 5V8 O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A" THYSSENKRUPP MATERIALS CA LTD AC-COb001 Order From:

1107/17/9

**Y2 YBOVE** 

Yes

Special Inst:

## \*\*\*bO BEbBINL\*\*\*

## Purchase Order ID PO14379

Purchase Order Date 6/27/2011
PO Print Date 6/27/2011

Part Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577



Page Number 2 of 3

			YBLE	∀CCEPT				
			TON EDE IZIA ED	NOTE: 3				
		)IO 0./~	740	A MT2A				
		dO 9/2	E AS PER ASTM	SS PLAT				
		S BAR	AL: AISI 304/316 S	OR AISI	Special Inst:			
			0 7 1 6 7 0 6 13 7 1 1 7	I G 3 T, V M	tani leinang.	~,	(30.12.20)	
		J	Sə	Ă.		5	ואסיוו אלי	
02.17 <b>4</b> &	0005.112	4.00 Yours ppd		07/08/9	304 BAR .250 x 4.00		-	
			•	00,00,5	304 84 5 350 4 00	000 7	M304B0.250X	L
1			ΛE	AS ABO	Special Inst:			
		TC.				Sall	(1) 1 KV	
00.060,12	0051.28	Is Is	Sə.			- /-	, ,,, ,,,	
33 333 14	003133	bqq sruoY 00.00	05 11	07/05/9	304/316 Sheet .063	/	M304216GA	9
			777¢0	YZME 2				
		0.000		ОR				
		OASA MT	2 2254 (316) OK Y					
		XI CC SIX	MIL-S-5059 OR A	(304)				
	~**		TED 3B LINISH	ANNEA				
		22 SHEET	315/405 ISIA :JAI	MATER	Special Inst:			
1						(011	ज्यामः	
((:20.4		Îs	, es			30,70	· · · · · · · · · · · · · · · · · · ·	
66.007\$	2185.48	50.00 Yours ppd	I 110	07/08/9	304/316 .050 Sheet		M304818GA	ç
į				B706			100101001	>
		MTSA AC	7204 SMA AO 220	)4 2MA				
1			OK	11/007				
		-A-00-2MA	30-A-250/11 OR	AS PER				
			NOW SHEET	IMUJA				
			29T\ðT-1909 :JAIS	THAM	Special Inst:	( 01	/	
		Ìs	Дe2			50/	Collibo.	
\$320.00	8894.28	bqq smoY 00.49		7/05/9	200110 00011 00000		¥	
		- 12 00 77	110	12/02/9	19942 ZSI. 9T-1808	7 ر	M6061T6S.1	<b>t</b>
		Destination-Collect	FOB					
į		CAD	Спгтепсу					
		Net 30	Тегта					
		10127-2607	Tax Resale Nbr				ndor Account N	
			Requisition Nbr			5606 8 <i>EL</i> 506	ndor Fax	δV
		Chantal Lavoie	Buyer	i,		7776 699 <u>5</u> 06	ndor Phone	$^{9}\Lambda$
			Burrer				ontact Name	CO
						<del></del>		
						0.4.6.44.6***	YC	
				¥σ	WICOJC/7+ VOG A VA	N MSW 5V8	LORONTO, O	Ĺ
				uVul	O/PO BOX 4275,POSTA	TAL- C/O T2754	O/A VPK MET	)
						UPP MATERIAI	LHAZZENKBI	Ĺ
				COP001	-DA		ler From:	Ord

MATERIAL CERTIFICATION

---

1107/17/9

## \*\*\*bO KEbKINL\*\*\*

Purchase Order ID PO14379

PO Print Date 6/27/2011 Purchase Order Date 6/27/2011

Eax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.

E to ErsdmuZ sga q

VC-COP001

O/A VPK METAL- C/O T27540/PO BOX 4275, POSTAL"A" THYSSENKRUPP MATERIALS CA LTD

EE06 8EL 506

ttt6 699 S06

TORONTO, ON MSW 5V8

Vendor Phone Contact Name

Order From:

Vendor Fax

Vendor Account Nbr

M7075T73R1,000

Special Inst:

7075-T73 Rd Bar 1.00

QQ-A-225/9

Yes

ŁOB Currency

Terms

Buyer

Tax Resale Nbr

Requisition Nbr

1/1/2011

AS PER AMS-QQ-A-200/11 OR AMS-T7351/T73510/T73511 ROUND BAR -2707 AO 57T-2707 : JAINETAM

24.00 Yours ppd

10177-2607

Chantal Lavoie

CAD Vet 30

Destination-Collect

\$8.7500

84.269,58

00.0128

:latoT Oq

SECID UPON DELIVERY NOITAOFFITHEO JAIRETAM

consent. No substitution or deviation without

Certification required when applicable Certificate of Conformity or Material

Change Date:

1107/17/9

Change Nbr:

## Certificate of Mill Test Results

BE FEC 717893-003

7/E 8A

Houses

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

the so leten and to resolve part by taking

PART NO. 1220 Now X 48,0000"X 96,0000" ALUMUNM SHEET 6061 T6.

wity sipporting

sesulting from tests made in approved Jabs. Me centry that this is a rune copy of the tepon



82312124 05/7 :"IN

61 80 1105 :atab \ muts0 Seite / page: 1 von / of 3 D.veR

Inspection certificate - mill certificate Abnahmeprüfzeugnis 3.1 (EN 10204)

Zertifizien nach I certified to ISO 9001, ISO/TS 16948, ENLAS 9100, ISO (4001, NADCAP

Akkreditiv Mr. / letter of credit no.: 201105 Datum / date: 82312124 Lleferschein Mr. (delivery note: 2011 01 21 Datum / date: Auftragsbest, Nr. / order confirm, no.: 129229 2011 01 20 Datum / date: PEC-227573 Bestell Nr. / order no.:

Endkunde, Bestell-Mr. / Your cust., ord. no.: CDN-L4K 5C6 CONCORD, ON DR Thatagnal 1985 ThyseenKrupp Materials NA Warenemptänger / consigneew CDN-L4K 506 CONCORD,ON AN steinetell gqurynessynT Auftraggeber / customer;

Produkt/product

Sondervorschrift / special terms: **YOUR 28 S09' S00Y 900S-S 38H ISNA** 07.2008, but not marked Kundenadikel-Nr / customer article no.: Material meets also the mech. properties of AMS 4027N, - 00,8ex00,8ex481,0 ;[hon] :mib \ .miG 70 - 605 3 MTSA ~ aT :negmet \ bnstauS Techn. Lieferbedingungen / techn. spec.: AMS-QQ-A-250/11, 08.1997 Werkstoff / malerial: 6061 ~ Form / form: Sheet

Bedingungen/terms

'7NS	Gewicht netto	backno.	Werkeloff material	Gues Mr. Casi no.	anine source fresholded	meil-bro.
28 28	3181,2171bs	525510007	1,1808	F\E03EP00\F0	00/10/01681	60
<u> </u>	3392,857 lbs	8225210008	t.ra0a	1/2624400/to	19498/01/00	£Ο
19	3335,538 lbs	6225210009	1,1903	1/9684400/10	19498/05/00	60

					1		11			AMAG designation	Guss Mr. / cast no.
	ii.	ΨZ	IN:	10	SM	uw	no	ê.	!5	1,1308	1/6096400/10
	90'0	£0,0	10,0	ar.0	38.0	b),'O	0,24	Z9'0	99'0	actual	**** (III
•	u	ΨZ	IN	43	5%	nM	EN.	94	ĮS	r, 1808	1/6664400/10
	90'0	50,0	10,0	91'0	16'0	11,0	52,0	85.0	89'0	actual	
	ш	ΨZ	- IN	JO .	5yg	កអី	пЭ	#4	!5	F1909	1/7627700/10
2	50,0	£0,0	10,0	31,0	16,0	9,12	0,22	72,0	77.0	ectual	

## Certificate of Mill Test Results

# THYSERIERUPP MATERIALS UA

BC BEC-113863-003

THE BA

Mantas.

Signaldis

We certify that this is a new copy of the report functionably the produces of the metal, or data resulting from ress made in approved the PO/Rd 14379 PART NO 1350 Note X 48,0000" X 96,0000" ALUMENT STREET 6061 T6 DVKL VEROSBYCE

DAMA DAMAG

82315154 0211 :.IM

Nev. 0

Seite / page: 2011 05 19 Datum / date: 2011 05 19

Inspection certificate - mill certificate (A0201 MH) 1.8 singuestürgemrisndA

Zedilizien nach foerdied to 150 ann, ISOME 18948, ENIAS 91 00, ISO 14001, NADOAP

			1		1.			
		91	8,14	2,84	nii.	17	91	19498/05
		G)	Z,14	p.Ta		I I	91.	19498/02
		G!	£,15	7,74		IJ	9 <u>T</u>	19498/05
		SL	S'ID	4,74		ΓL	9T	19498/05
		I SI	8,14	2'24		TI.	9 <u>T</u>	19498/05
		S1	9'15	Z,8p		TI	9T	19498/05
		Sı	8,14	9'∠₹		ĹΊ	. 9T	19498/02
	.,	81	S'It	9'27		II.	9T	19498/02
		g,	9,14	7.74		17	91	19498/02
		SL	41,2	b'Z\$		In	91	10/86761
		71	9.05	L'97	10		91	10/86161
		SI	6,05	7'97		17	91	10/86161
		SI	9,04	9'97		TI II	91	10/86161
		ŞI	9'0Þ	9'97		17	91	10/86\$61
		7,	S'07	6,84		177	91	10/86#61
		SI	6'0⊅	L'Z#			91	10/86761
		<b>₩</b> ↓	8,04	9'91		17	91	10/861-61
		SI	€,04	9'97	12	רן	9 <u>1</u>	10/86161
		SI	0,14	9'27		ΙΊ	9T	10/01681
		18	8'07	1.74		TI I	91	10/01281
		SI	9'0≯	8'97	111		91	10/01681
		P.	9,04	8,84		TJ	9T	18310/01
-		Sr.	40.5	8,84		IJ	91	10/01681
	i	٩٤	9'07	8,84	- (b)	I	91	10/01881
		42	9'07	8,84		n	91	18310/01
	**************************************	71	8,04	€,74	13.	17	- 9T	10/01681
		St	9'0+	£,74	44.	II	91	10/01681
		[%]	[kaj]	[kæj]		direction	temper	LoVVo.
		"Z¥	S.0qA	mA	11:	Richtung	bnstauZ	BNr/Los

18. Gemeyava – rolemejeð (nehorans F 2828-A , SE frastiðer) - Hating utilling DAMA 18. SE xos 10. F.O. Box 32. Å SES A SE xos 10.7.4, Hdraft grilling DAMA

Certificate of Mill Test Results 285unt 1 Pg 1/1

BL PEC 717893-004

Signed by

We centry that this is a rule case of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

PO/Rel 14379

THYSSENKRUPP MATERIALS NA

DART ACROSPACE STABLESS STEEL SHEET 304.2B :0480 Nom X'48.0000" X'120.0000" PARTINO.

Z,

# MILL TEST CERTIFICATES

MAT YIEH MAU CORP.

COMMODITY :

PADM926 PRIME COLD ROLLED STAINLESS STEEL SHEET

AISI 304 AFTM A240/A480 and ASME BA240/SA480

SPECIFICATION:

345, SHUN AN RD. LU OEUJ HELANG KACHENUNG HEREN TAKWAN R.O.C. TRE, COTGETZBUS PAKL(CT) 19730GG CERTETICAUEN NO. PETAMS26 DATE OF ISSUEADS227010

	-			60000000000000000000000000000000000000												
	-	2	with a		£,	C		io	10	) 0) (d		2.6	8		2 00	P.
		ð	WIX.		1873	1818	1896	1000	1000	1880		1811	101	1817	1817	7 1 0
OSITION		Z	X,00		808	508	BUE	200	7 0	811		802	800	25	£	ž
Chemical Composition		ss.	×1000		6.5	000	· 5*		3 14	. 40		cv.	6	; ⊆	2 0	3
Chemi		24	×3000		8	G:	35	3 %	3 %	8		36	5	8	200	3
***************************************		£	x100		116	118	110	12	18	125		124	194	119	118	94
		ij,	×100		22	25	46	46	23	\$31		2	120	47	42	
		O,	×30		4.6	4.6	5.	4	8	4.6		***	y	4.4	***	
		≯H			176	176	152	162	22	12		171	171	160	35	*
perties	E)	HRB			98	86	2	2	100	8		82	533	82	883	3
Physical Properties Teastle Test	GL=50 m/m		(%)		23	6	is.	22	100	17		8	23	99	36	1
W.		E.	Norm?		677	677	624	624	657	667		089	680	663	682	
		¥.5.	(Ammy)					298	295	282		203	308	283	282	}
A STATE OF THE STA	D NO.				98866530-1	96366530-3	98866092BB-2	98S66092BB-6	S6861403B-1	96S51403B-4		96S61397B-13	96361397B-14	98S66094B-12	98S66094B-13	
Weight	Heat No.				YU257949	YU257949	YU162515	YU162515	YU257404	YU257404		YU161974			YU162847	
Weight	₩.)	-	LAS.		3,660	3,605	8,770	8,671	2,854	3,668		3,631	3,658	8,794	3,605	
We We	<u>چ</u>		KGS		1,660	1,635	1,710	1,665	1,748	1,683		1,647	1,614	1,721	1,633	
	Š.	,			-	=		-4	çş	{		~		f	~	
COSTONIEX .	SIZIS			84 28 Pi	14CA X 48" X 96"	14GA X 48" X 120"	16CA X 48" X 96"	16GA X 48" X 120"	18GA X 48" X 96"	18GA X 48° X 120°	304 NO.4 LASER	18GA X 48" X 96"	18GA X 48" X 120"	18GA X 48" X 86"	16GA X 48" X 120"	

Bend test: guent for all Heat NO TOTAL: 10 15,698 36,814
Remorks NO MERCURY CONTARKATION
WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREN HAS

BEEN MADE IN ACCORDANCE WITH THE RULES OF THE MILL CERTIPICATE

YIEH MAU CORP

# Certificate of Mill Test Results at property asset of a particular and a p

# THY SSENKRUPP MATERIALS NA

etem 68/09

DVKL VEROSBYCE

We confir the thin set in the saft for the course with the state of the section o

FART NO. 1600 Non X 45,0000" X 120,0600" TAINLESS STREE SHEET 304:3B

1/1 84

# MILL TEST CERTIFICATE

mry

Aq poosis



-	9. F.X		Į.	0109							ue	Taiyu	: 9			
	nation.	imasnoo ne	radiat:	on zen	ons be	ija <b>ja</b> p uae	c use pa	4000 pag	, y s 4 ok - Ce	/opzv kt	SV 80-) 41 2842 AJTS	108÷Y/01	8b n			
1				Tebne.	is þonz:	100tiner	tinta das		K.	sercury; O	imensions of	repar v c and d relimen	oej.			
				1			700SI 43	IN VALUE	In confo	sī majsk	e insassenm egemen fain	1 (1) [6)	nb a			
			1													
:1	0.08 2.08		0.38						1				***************************************			
AH I	ezenbreä 8#H	Sin .	(%) 02		tragaol3 (#) h	(%) 09V	1	Preof 5	PdN	KPO, 2	650 060	1-09t	on 6070			
							T	7	259.115	10014	*[ sva_	18	a <u>1</u> .			
			_													
dN IT	ohi .	0.037 K	Cn Cn	1N.	18:43 18:43	100.0	120.0	1.26	86.0	160.0	1926	/001Y	······			
11681							4_	I M	is	3 % (	-	186:1				
										SaloT			T			
E1	1512															
Welght (Pou	. Edge	(reju)	it) znoien je *85*108	·	- Ka	Quanti 1		153#B 780T		KAP013307	[14200					
sselnlad	Sarking	of ixash2	:	erewb	\$10100	đsù]	00.	ting fur EAF+AOI	K	COLL N	t you	8-H <u></u>	No.			
	Date Date 2010/03/		,		TOO.	VD915VCB		- sait	I oli	aselnit	eolenO 192 (Edolo 1906019	· ·				
asies of Sale	V VCI (				isarl 16	He-			u	or com.	.e.i198xd81	:[[so_	E			
:	· · · · · · · · · · · · · · · · · · ·	NOPSY/N	SO4 STM AZA		brebns:	S	SHINA	(I, P, R. (	:+8e-3	XAN BEE	1–351–3013 **** tisco.	nn				
21.///	 키성(	9/6		ON ACC	ertifici acertal						TAIGANG		- 1			

## Trumps Certificate of Mill Test Results

81'8 85'E

0 '88 0 '68

0.88

0 '85

(X)02A

# THYSSENKRUPP MATERIALS NA

BC BEC-1118037009

1/1 34

Supporting

We certify that this is a mue copy of the tepon turnshed by the produces of the metal, or data 60 PS 18318

PART NO. 270, X 100, X IN 0000. 2 VINCTES SLEET H VL BVE 300F SPILEDGED DVRT AEROSPACE

testifting from resis made in approved labs

MILL TEST CERTIFICATE



### 23shbreis noltamola 829712 10019 220112 30019 of lanol 1501 300.0 18'21 100 '0 100 '0 £3 'I er o 089ZC0EY 190 '6 ES 21 100 'D 0.033 2 65 °E **67 15** ozó o teat fle. Chemical Composition & 1 1833G 15 18101 1115 Q\* 324 19544C 59119208 OZXOSI SSLODVJ **0892002A** Q. 35+1824+C 01119908 OSZ0859510CV4 ogpg (\$2) 14\$ [\$4] (ma) znotementů Quantity Setch No. CO11 140, 2100] CO" [1D K-069-5+400 Shanki Talgang Stainless EVH+VOD gaixing tushectors stemp Helting furnace . Product 2010/08/81 DETOOSYSKEMOT SK Networks Co., Ltd. Contract No. Customer Solution 1950" 1109 Qvenching in value lical Trestment Mail: tgbxggtisco. com. cn Help://www.tisco.com.cn LEF: +86-361-3013358 FAX: +86-361-3017816 HOISANONSA HTZA Standard No. 2 JIANCAOPING, TAIYUAN, SHANXI, P. R. CHINA Surface IN MATER SHANXI TAIGANG STAINLESS STEEL CO. LTD Certificate No BBA100478A

(9) 089

E. We haveby cortify that the material described above has been detected and has no radiation contamination.

ent o los

The environments management system is in conformity with ISOId001:2004 granderd. drabants 5008; 1008021 driw vilmolno. In a state of consequence villay with

962

APO. 2 MPs.

Doc No. 112148 Indexed 14Jun11 by slssupl

85002-08ha/koasa/oasa htea. 7

2. Intergranular correction test; BO CRACK. 4. Surface and dimensions constol; B. X. 3. No seld repair; Prec of agrecury;

029

1-69119908

1-0711-0309